		3	SAFET			911L					
		according to C		U							
	CONTEC	CARE+ E	BRAKE	PREP	D+	DOT	5.1	BRA	KE	FLUID	
	on date	03rd Februar	,						4.0		
Revisi	on date	29th Decemb	er 2022		Vers	sion			4.0		
	ON 1: Identification	of the substar	nce/mixtu	ire and o		-	-		_		
L.1.	Product identifier						RE+ B	RAKE P	REP D	+ DOT 5.1 BRAKE	FLUI
	Substance / mixture				mixt						
	UFI		-			L-NCMV					
1.2.	Relevant identified Mixture's intended		ubstance (or mixtuı	re and	uses a	dvise	l again	st		
	The product is intende	ed for sale to th	ne consum	er and the	e profe	sional/	industr	ial use.			
	Main intended use										
	PC-TEC-8		aulic fluid	s, includin	g brak	e and tr	ransmi	ssion flu	ids		
	Mixture uses advise	-									
	The product should no		•		e referr	ed in S	ection	1.			
1.3.	Details of the supplier of the safety data sheet										
	Distributor										
	Name or trade	name				nann H	2				
	Address						e 120-1	22, Hoy	/a/Wa	aser, 27318	
						nany					
	VAT Reg No					161628		-			
	Phone					9/4251,					
	E-mail					.preuse		je.de			
	Web address				www	v.hartje	.de				
	Manufacturer										
	Name or trade	name				<i>,</i> ,				nachá	zel
					Nac	názel, s	.r.o.			lubrican	ts
	Address				Drur	nyclová	11/1/	72 Dra	ha 10	- Hostivař, 10219	
	Auuress					ch Repu		72, FIA	110 10	- HOSLIVAL, 10219	
	Identification n	umbor (CPN)				34458	IDIIC				
	VAT Reg No					573445	8				
	Phone					0 222 3		h			
	E-mail					iva@na					
	Web address					v.nacha		CZ			
	Competent person	responsible fo	r the safe	etv data e		v.nacna	201.02				
	Name		. the sure	uutu s		názel, s	ro				
	E-mail					iva@na		.C7			
1.4.	Emergency telepho	ne number			maz	110 210	Chuzer	CL.			
	European emergency										

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Repr. 2, H361d

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Suspected of damaging the unborn child.

SAFETY DATA SHEET according to Commission Regulation (EU) 2020/878 as amended CONTEC CARE+ BRAKE PREP D+ DOT 5.1 BRAKE FLUID Creation date 03rd February 2016 29th December 2022 Revision date Version 4.0 2.2. Label elements Hazard pictogram Signal word Warning Hazardous substances Ethanol, 2-[2-(2-methoxyethoxy)ethoxy]-, 1,1',1"-triester with boric acid (H3BO3) **Hazard statements** H361d Suspected of damaging the unborn child. **Precautionary statements** P102 Keep out of reach of children. P280 Wear protective gloves. P301+P310 IF SWALLOWED: Immediately call a doctor. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier. Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Substance name Content in Cla % weight Regul		Note
CAS: 30989-05-0 EC: 250-418-4 Registration number: 01-2119462824-33	Ethanol, 2-[2-(2-methoxyethoxy)ethoxy]-, 1,1',1"-triester with boric acid (H3BO3)	30-90	Repr. 2, H361d	
Index: 603-183-00-0 CAS: 143-22-6 EC: 205-592-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol	1-9,9	Eye Dam. 1, H318 Specific concentration limit: Eye Dam. 1, H318: $C \ge 30 \%$ Eye Irrit. 2, H319: 20 % $\le C < 30 \%$	
CAS: 9004-77-7 EC: 500-012-0 Registration number: 01-2119475115-41	Poly(oxy-1,2-ethanediyl), .alphabutyl omegahydroxy-	<5	Eye Irrit. 2, H319	
Index: 603-107-00-6 CAS: 111-77-3 EC: 203-906-6 Registration number: 01-2119475100-52	2-(2-methoxyethoxy)ethanol	<3	Repr. 2, H361d	1, 2

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ BRAKE PREP D+ DOT 5.1 BRAKE FLUID

Creation date Revision date 03rd February 2016 29th December 2022

Version

4.0

Notes

1 A substance for which exposure limits are set.

2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Take off contaminated clothing. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

Provide medical treatment. For persons with no symptoms, call the Toxicological Information Centre to decide about the need of medical treatment; provide information about the substances or composition of the product from the original packaging or the Safety Data Sheet of the product.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled Not expected. If on skin Not expected. If in eyes Not expected. If swallowed Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ BRAKE PREP D+ DOT 5.1 BRAKE FLUID

Creation date Revision date 03rd February 2016 29th December 2022

Version

4.0

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

Content	Packaging type	Material of package
100 ml	dropper	HDPE
11	bottle	HDPE
Storage class 12 - Other non-combustible liquids		
Storage temperature	mir	n 0 °C, max 40 °C
Specific end use(s)		
net available		

not available

7.3.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union		
Substance name (component)	-	r

Commission Directive 2006/15/EC

Substance name (component)	Туре	Value	Note
2/2 mothewidthewidthenel (CAS) 111 77 2	OEL 8 hours	50,1 mg/m ³	Skin
2-(2-methoxyethoxy)ethanol (CAS: 111-77-3)	OEL 8 hours	10 ppm	SKIII

DNEL

2-(2-methoxyethoxy)ethanol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	0.53 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	50.1 mg/m ³	Chronic effects systemic		
Consumers	Oral	1.5 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	25 mg/m ³	Chronic effects systemic		
Consumers	Dermal	0.27 mg/kg bw/day	Chronic effects systemic		

PNEC

2-(2-methoxyethoxy)ethanol

Route of exposure	Value	Value determination	Source
Drinking water	12 mg/l		
Marine water	1.2 mg/l		
Freshwater sediment	44.4 mg/kg		
Sea sediments	0.44 mg/kg		

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ BRAKE PREP D+ DOT 5.1 BRAKE FLUID

Creation date Revision date 03rd February 2016 29th December 2022

Version

4.0

2-(2-methoxyethoxy)ethanol

Route of exposure	Value	Value determination	Source
Soil (agricultural)	2.44 mg/kg		
Oral	90 mg/kg		
Microorganisms in sewage treatment	10000 mg/l		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Use barrier creams for skin protection, they should, however, not be applied once exposure has occurred. Observe other recommendations of the manufacturer. Other protection: Protective antistatic clothing made of natural fibres (cotton) or synthetic fibres resistant to elevated temperatures. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless, yellow
Odour	characteristic
Melting point/freezing point	<-50 °C
Boiling point or initial boiling point and boiling range	>260 °C
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>200 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	7-10,5 (10% solution at 20 °C)
Kinematic viscosity	5-10 mm²/s at 40 °C
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	data not available
Relative density	1,01-1,07
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid
Other information	
ignition tomporature $>300\%$	

ignition temperature >300°C

9.2.

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ BRAKE PREP D+ DOT 5.1 BRAKE FLUID Creation date 03rd February 2016 Revision date 29th December 2022 Version 4.0 **SECTION 10: Stability and reactivity** 10.1. Reactivity not available 10.2. **Chemical stability** The product is stable under normal conditions. 10.3. Possibility of hazardous reactions Unknown. 10.4. Conditions to avoid The product is stable and no degradation occurs under normal use. 10.5. Incompatible materials Protect against strong acids, bases and oxidizing agents. 10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire. **SECTION 11: Toxicological information** 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture. Acute toxicity Based on available data the classification criteria are not met. Skin corrosion/irritation Based on available data the classification criteria are not met. Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Suspected of damaging the unborn child.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

- 12.2. Persistence and degradability not available
- 12.3. Bioaccumulative potential Not available.
- 12.4. Mobility in soil Not available.
- 12.5. Results of PBT and vPvB assessment

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ BRAKE PREP D+ DOT 5.1 BRAKE FLUID

Creation date Revision date 03rd February 2016 29th December 2022

Version

4.0

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 01 13 brake fluids *

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

- not subject to transport regulations
- 14.2. UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

according to Commission Regulation (EU) 2020/878 as amended

CONTEC CARE+ BRAKE PREP D+ DOT 5.1 BRAKE FLUID

Creation date Revision date 03rd February 2016 29th December 2022

Version

4.0

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-methoxy	vethox\	ľ)ethanol

	Restriction	Conditions of restriction			
		Shall not be placed on the market after 27 June 2010, for supply to the general public, as a constituent of paints, paint strippers, cleaning agents, self-shining emulsions or floor sealants in			
		concentrations equal to or greater than 0,1 % by weight.			
15.2.	2. Chemical safety assessment				

not available

SECTION 16: Other information

A list of standard risk phrase	es used in the safety data sheet
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
Guidelines for safe handling	used in the safety data sheet
P102	Keep out of reach of children.
P280	Wear protective gloves.
P301+P310	IF SWALLOWED: Immediately call a doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.
•	about human health protection
	ess specifically approved by the manufacturer/importer - used for purposes other than is responsible for adherence to all related health protection regulations.
-	ronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
ΙΑΤΑ	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations

according to	Commission	Regulation	(EU)) 2020/878 as amended

CONTEC CARE+ BRAKE PREP D+ DOT 5.1 BRAKE FLUID							
Creation date	03rd February 2016						
Revision date	29th December 2022	Version	4.0				
UVCB	Substances of unkn biological materials		ition, complex reaction pro	oducts or			
VOC	Volatile organic con	Volatile organic compounds					
vPvB	Very Persistent and	Very Persistent and very Bioaccumulative					
Eye Dam.	Serious eye damag	e					
Repr.	Reproductive toxicity						
Training guideli	nes						
	nnel about the recommended way	s of use, mandatory pro	tective equipment, first ai	d and prohibited			
Recommended r	estrictions of use						

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

Made in SBLCore 2023 (23.2.62) www.sblcore.com