according to Commission Regulation (EU) 2020/878 as amended

# **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012
Revision date 29th December 2022 Version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Substance / mixture mixture

UFI 7CD1-TCP2-X005-XV5F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Main intended use

**Product identifier** 

PC-CLN-15.4 Metal polish/tarnish remover

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

**Distributor** 

Name or trade name Hermann Hartje KG

Address Deichstraße 120-122, Hoya/Waser, 27318

Germany

VAT Reg No DE116162847 Phone 0049/4251/811-20 E-mail rene.preuss@hartje.de

Web address www.hartje.de

Manufacturer

Name or trade name

Identification number (CRN)

Nacházel, s.r.o.

nacházeľ

4.0

CONTEC CARE+ TRIM SHINE CARE SPRAY

Address Průmyslová 11/1472, Praha 10 - Hostivař, 10219

Czech Republic 25734458

VAT Reg No CZ25734458
Phone +420 222 351 140
E-mail maziva@nachazel.cz
Web address www.nachazel.cz

Competent person responsible for the safety data sheet

Name Nacházel, s.r.o.
E-mail maziva@nachazel.cz

1.4. Emergency telephone number

European emergency number: 112

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H229, H222 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

## Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

### Most serious adverse effects on human health and the environment

May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer. Toxic to aquatic life with long lasting effects.

according to Commission Regulation (EU) 2020/878 as amended

# **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012
Revision date 29th December 2022 Version 4.0

#### 2.2. Label elements

## **Hazard pictogram**





## Signal word

Danger

#### **Hazardous substances**

Hydrocarbons, C6, isoakenes, <5% n-hexane

Hydrocarbons, C8-C9, isoalkanes

propan-2-ol

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

#### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C.
P501 Dispose of contents/container to by handing over to the person authorized to

dispose of waste or by returning to the supplier.

## Supplemental information

EUH066 Repeated exposure may cause skin dryness or cracking.
EUH208 Contains benzyl-salicylát. May produce an allergic reaction.

>=30 % aliphatic hydrocarbons, perfumes, Benzyl salicylate, Limonene

## 2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

according to Commission Regulation (EU) 2020/878 as amended

# **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012
Revision date 29th December 2022 Version

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Chemical characterization**

Note on stated concentration ranges: the stated values cover the concentrations of the substances in the liquid and in the aerosol (the concentration of the propellant components corresponds to the content of these substances in the liquid / gas mixture).

4.0

The classification calculations are based on the upper values of the stated concentration ranges. Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics or (replacement component ICG) hydrocarbons, C15-C20, n-alkanes, isoalkanes, cycloalkanes, < 0.03% aromatics; EC 934-956-3 2), Reg. No.01-2119827000-58

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-004-00-0 CAS: 75-28-5 EC: 200-857-2	Isobutane	40-50	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1, 2
EC: 931-254-9 Registration number: 01-2119484651-34	Hydrocarbons, C6, isoakenes, <5% n-hexane	15-45	Flam. Liq. 2, H225 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411 EUH066	
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21- XXXX	propane	10-20	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	2
EC: 932-020-9 Registration number: 01-2119548395-31	Hydrocarbons, C8-C9, isoalkanes	10-20	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411 EUH066	
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25- XXXX	propan-2-ol	2-<8	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
EC: 934-954-2 Registration number: 01-2119826592-36	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	2-5	Asp. Tox. 1, H304	
CAS: 118-58-1 EC: 204-262-9 Registration number: 01-2119969442-31	benzyl-salicylát	<0,5	Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	

#### **Notes**

1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

according to Commission Regulation (EU) 2020/878 as amended

# **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012
Revision date 29th December 2022 Version

Note U (Table 3): When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

4.0

Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting.

#### If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

#### If on skin

Take off contaminated clothing. Wash the affected area with plenty of water, lukewarm if possible.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

#### If swallowed

Aerosol products are not expected to be ingested. If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Ensure medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

## 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Possible irritation of airways, cough, headache.

#### If on skin

Repeated exposure may cause skin dryness or cracking.

#### If in eyes

Temporary feeling of burning and redness.

#### If swallowed

Nausea, stomach pain, vomiting, diarrhoea.

## 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

## Unsuitable extinguishing media

Water - full jet.

## 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

according to Commission Regulation (EU) 2020/878 as amended

## **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012

Revision date 29th December 2022 Version 4.0

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols.

## 6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

## 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Protect against direct sunlight. Electrostatic charge may be formed during use; use only earthed piping (tubing) when repumping. Use of antistatic clothes and footwear is recommended. Use non-sparking tools. Do not inhale gases and vapours. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight.

Content	Packaging type	Material of package
200 ml	aerosol can	FE

Storage class

2B - Aerosols

Storage temperature

min 0 °C, max 40 °C

## The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

## 7.3. Specific end use(s)

Follow the directions on the product label.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### **DNEL**

Hydrocarbons, C6, isoakenes, <5% n-hexane

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	13964 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	5306 mg/m <sup>3</sup>	Chronic effects systemic		

according to Commission Regulation (EU) 2020/878 as amended

# **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012 Revision date 29th December 2022 4.0 Version

Hydrocarbons, C6, isoakenes, <5% n-hexane

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Dermal	1377 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	1131 mg/kg	Chronic effects systemic		
Consumers	Oral	1301 mg/kg bw/day	Chronic effects systemic		

Hydrocarbons, C8-C9, isoalkanes

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	773 mg/kg bw/day			
Workers	Inhalation	2035 mg/m <sup>3</sup>			
Consumers	Dermal	699 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	608 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	699 mg/kg bw/day	Chronic effects systemic		

#### 8.2. **Exposure controls**

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

## Eye/face protection

It is not needed.

# Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

## Respiratory protection

Respirator.

## Thermal hazard

Not available.

## **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

#### **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Physical state liauid Colour colourless

Odour characteristic after solvents

data not available Melting point/freezing point

Boiling point or initial boiling point and boiling range 51-61 °C ((Hydrocarbons C6) [ASTM D 1078])

Extremely flammable aerosol. Flammability

Lower and upper explosion limit

0,7 % ((Hydrocarbons C8-C9)) bottom 7 % ((Hydrocarbons C8-C9)) upper Flash point -80 °C (propellant gas)

>230 °C ((Hydrocarbons C6; C8-C9) ASTM E 659) Auto-ignition temperature

Decomposition temperature data not available non-soluble (in water)

<20,5 mm<sup>2</sup>/s at 40 °C ([ISO 3104] (Hydrocarbons C13-Kinematic viscosity

C16))

according to Commission Regulation (EU) 2020/878 as amended

## **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012 Revision date 29th December 202

on date 29th December 2022 Version 4.0

Solubility in water insoluble

Partition coefficient n-octanol/water (log value) data not available

Vapour pressure 2400-4000 hPa at 20 °C (overpressure (propellant gas))

Density and/or relative density

Density 0,67 g/cm³ at 20 °C (Mixture including propellant)

Relative vapour density data not available Particle characteristics data not available

Form aerosol dispenser: spray aerosol

data not available

9.2. Other information

Content of organic solvents (VOC) 1 kg/kg Solid content (dry matter) 0 % volume

Auto-ignition temperature: > 230 °C (hydrocarbons, C6) ASTM e 659 (this temperature can be significantly lower

under special conditions (slow oxidation of finely divided material)

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is stable and no degradation occurs under normal use.

#### 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Protect against strong acids, bases and oxidizing agents.

#### 10.4. Conditions to avoid

Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

## 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

## **Acute toxicity**

Based on available data the classification criteria are not met.

CONTEC CARE+ TRIM SHINE CARE SPRAY

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>		>2000 mg/kg		Rabbit	

Hydrocarbons, C6, isoakenes, <5% n-hexane

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	16750 mg/kg bw		Rat (Rattus norvegicus)	
Dermal	LD50	OECD 402	3350 mg/kg bw	4 hours	Rabbit	
Inhalation (vapor)	LC50	OECD 403	259354 mg/m <sup>3</sup>	4 hours	Rat (Rattus norvegicus)	
Oral	LD50		>5000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD50		>3000 mg/kg		Rat (Rattus norvegicus)	
Inhalation (vapor)	LC50		>20 mg/l	4 hours	Rat (Rattus norvegicus)	
	Log Pow		4			
	NOELR		3 mg/l	72 hours		

according to Commission Regulation (EU) 2020/878 as amended

# **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012 Revision date 29th December 2022

29th December 2022 Version 4.0

### Hydrocarbons, C8-C9, isoalkanes

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	>7100 mg/kg bw			
Dermal	LD <sub>50</sub>		>2200 mg/kg	24 hours	Rabbit	
Inhalation (vapor)	LC50	OECD 403	17300-23300 mg/m³	4 hours	Rat (Rattus norvegicus)	

## Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### Reproductive toxicity

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

## Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### **Aspiration hazard**

Mucous membranes and airways may be irritated, and the central nervous system may be affected.

## More information

data not available

## 11.2. Information on other hazards

As far as we know, it does not contain any substances that have been identified as endocrine descriptors.

### **SECTION 12: Ecological information**

## 12.1. Toxicity

## **Acute toxicity**

Toxic to aquatic life with long lasting effects.

Hydrocarbons, C6, isoakenes, <5% n-hexane

Parameter	Method	Value	Exposure time	Species	Environmen t
ErL 50		13.6 mg/l	72 hours		
EL 50		31.9 mg/l	48 hours	Daphnia (Daphnia magna)	

## Hydrocarbons, C8-C9, isoalkanes

Parameter	Method	Value	Exposure time	Species	Environmen t
ErLso	OECD 201	10-30 mg/l	72 hours	Algae (Selenastrum capricornutum)	
EbLso	OECD 201	10-30 mg/l	72 hours	Algae (Selenastrum capricornutum)	
NOELR	OECD 201	6.3 mg/l	72 hours	Algae (Selenastrum capricornutum)	
EL50		2.4 mg/l	48 hours	Daphnia (Daphnia magna)	
LL50	OECD 203	18.4 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
NOELR	OECD 211	1 mg/l	21 days	Daphnia (Daphnia magna)	

according to Commission Regulation (EU) 2020/878 as amended

## **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012
Revision date 29th December 2022 Version

Hydrocarbons, C8-C9, isoalkanes

Parameter	Method	Value	Exposure time	Species	Environmen t
NOELR		0.46 mg/l	28 days		

4.0

propane

Parameter	Method	Value	Exposure time	Species	Environmen t
Log Pow		2.86			
BCF		13			

## **Chronic toxicity**

Hydrocarbons, C6, isoakenes, <5% n-hexane

Parameter	Value	Exposure time	Species	Environment
NOEL	7.14 mg/l	21 hours	Daphnia (Daphnia magna)	
NOEL	4.09 mg/l	28 days	Fish (Oncorhynchus mykiss)	

### More information

data not available

#### 12.2. Persistence and degradability

#### **Biodegradability**

Hydrocarbons, C6, isoakenes, <5% n-hexane

Parameter	Value	Exposure time	Environment	Result
	98 %	28 days		

Hydrocarbons, C8-C9, isoalkanes

Parameter	Value	Exposure time	Environment	Result
	22 %	28 days		
	60 %	60 days		

The mixture is biodegradable.

# 12.3. Bioaccumulative potential

Hydrocarbons, C6, isoakenes, <5% n-hexane

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	3.6				

Not available.

## 12.4. Mobility in soil

Data not available.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

## 12.6. Endocrine disrupting properties

not available

## 12.7. Other adverse effects

Not available.

## **SECTION 13: Disposal considerations**

according to Commission Regulation (EU) 2020/878 as amended

## **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012 Revision date 29th December 2022

Version 4.0

## 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## Waste type code

14 06 03 other solvents and solvent mixtures \*

16 05 04 gases in pressure containers (including halons) containing hazardous substances \*

## Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances \*

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## **SECTION 14: Transport information**

14.1. UN number or ID number

UN 1950

14.2. UN proper shipping name

**AEROSOLS** 

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **Additional information**

Hazard identification No.

UN number

Classification code

Safety signs



2.1



## **Marine transport - IMDG**

EmS (emergency plan)

F-D, S-U

according to Commission Regulation (EU) 2020/878 as amended

## **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012
Revision date 29th December 2022 Version 4.0

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.

### 15.2. Chemical safety assessment

not available

#### **SECTION 16: Other information**

#### A list of standard risk phrases used in the safety data sheet

H220 Extremely flammable gas.
H222 Extremely flammable aerosol.
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

## Guidelines for safe handling used in the safety data sheet

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C. P501 Dispose of contents/container to by handing over to the person authorized to

dispose of waste or by returning to the supplier.

#### A list of additional standard phrases used in the safety data sheet

EUH066 Repeated exposure may cause skin dryness or cracking. EUH208 Contains benzyl-salicylát. May produce an allergic reaction.

## Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

## Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EINECS European Inventory of Existing Commercial Chemical Substances

EL<sub>50</sub> Effective Loading for 50% of the tested organisms

EmS Emergency plan

according to Commission Regulation (EU) 2020/878 as amended

## **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012
Revision date 29th December 2022 Version 4.0

EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

**Dangerous Chemicals** 

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

LL50 Lethal Loading for 50% of tested organisms

log Kow Octanol-water partition coefficient

NOEL No observed effect level

NOELR No Observed Effect Loading Rate
OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

Press. Gas (Comp.)

Press. Gas (Diss.)

Gas under pressure: compressed gas

Gas under pressure: dissolved gas

Press. Gas (Liq.)

Gas under pressure: liquefied gas

Press. Gas (Ref. Liq.) Gas under pressure: refrigerated liquefied gas

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Aerosol Aerosol

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Asp. Tox.

Eye Irrit.

Flam. Gas

Flammable gas

Flam. Liq.

Press. Gas

Skin Sens.

Skin sensitization

Aspiration hazard

Eye irritation

Flammable gas

Flammable liquid

Gases under pressure

Skin sensitization

STOT SE Specific target organ toxicity - single exposure

### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### **Recommended restrictions of use**

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 21 May 2019. Changes were made in sections 2, 13, 15 and 16.

### More information

according to Commission Regulation (EU) 2020/878 as amended

# **CONTEC CARE+ TRIM SHINE CARE SPRAY**

Creation date 30th August 2012 Revision date 29th December 2022

Version 4.0

Classification procedure - calculation method.

## **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.